



Diabetes Boot Camp – Class 3
 Beverly Dyck Thomassian, RN, MPH, BC-ADM, CDE
 President, Diabetes Education Services

www.DiabetesEd.net

© Diabetes Education Services 1998-2015. All rights reserved.

Important Stuff

- ▶ Welcome to our First Boot Camp
- ▶ We will meet for 7 sessions - From 11:30am to 1pm PST
- ▶ I will stay after the program to answer any questions “off – line”
- ▶ The course will be recorded and available for viewing within 4 hours of completion of the session
- ▶ Login to the Online University to hear the recorded version, take the quiz and get your CEs
- ▶ Please email us with any questions or concerns at susan@diabetesed.net




Diabetes Education SERVICES

Boot Camp 3
~
Insulin and Pattern Management

Session 3 - Insulin Replacement Therapy and Pattern Management

*AAACE Comprehensive Diabetes Management Algorithm 2013. A slide set summary of the ACE/AACE Statement by an American Association of Clinical Endocrinologists/American College of Endocrinology Consensus Panel on Type 2 Diabetes Mellitus. Encourage all those planning to take CDE exam to review this info carefully.

ADA Algorithm for Type 2 Diabetes - 2009 - This 2 page chart provides a simple and clear approach to initiating type 2 patients on insulin therapy.

AADE White Paper on Continuous Subcutaneous Insulin Therapy - This paper outlines the topics that should be covered by diabetes educators when teaching patients and families or significant others about insulin pump therapy

AADE Strategies for Insulin Therapy 2011.PDF – An excellent review of the latest research on proper insulin administration techniques, patient barriers and insulin therapy.

Diabetes Meds on a Budget - 2014 - this article by Beverly Thomassian, provides practical and affordable strategies to manage hyperglycemia when funds are limited.

Use of U-500 Insulin in the Treatment of Severe Insulin Resistance (2008) – This article presents an updated algorithm for the administration and dosing of U-500 insulin based on clinical experience.

U-500 Insulin - When more with Less Yields Success – with the growing weight of our population, there is an increasing need for larger insulin doses. This article on U-500 insulin offers helpful information on pharmacotherapy, safety and dosing.


Inhaled Insulin - Afrezza - Package Insert
 Inhaled Insulin - Afrezza - Patient Medication Guide

Diabetes Education SERVICES

Objectives – Insulin and Pattern Management

Objectives:

- Discuss the actions of different insulins
- Describe pattern management as an insulin adjustment tool.



Poll question 1

- ▶ A patient tells you she doesn't want to start on insulin. What is your best response?
 - a. The needles are so small, you won't feel a thing.
 - b. You might die if you don't take insulin.
 - c. Tell me why.
 - d. There is a doctors' order to start insulin.



Psychological Insulin Resistance (PIR)

- ▶ 50% of providers in study threatened pts "with the needle".
- ▶ Less than 50% of providers realized insulins' positive effect on type 2 dm
- ▶ Most pts don't believe that insulin would "better help them manage their diabetes".
- ▶ Solutions: Find the root of PIR and address it, use more insulin pens



Diabetes Attitudes, Wishes, Needs Study - Rubin

Needle Size often a Barrier Size *Does* Matter




- ▶ Use more short needles – 4 mm
- ▶ Effective for pts with BMI of 24- 49
- ▶ Keeps it subq
- ▶ If pt thin, inject at angle
- ▶ To avoid leakage, count to 10 before withdrawing needle
- ▶ ½ the patients who could benefit from insulin are not using it due to needle phobias
- ▶ Consider inhaled insulin



Diabetes Educational Services

Physiologic Insulin Secretion: 24-Hour Profile



Diabetes Educational Services

Insulin Action Teams

- ▶ Bolus: lowers after meal glucose levels
 - ▶ Rapid Acting
 - ▶ Aspart, Lispro, Glulisine
 - ▶ Short Acting
 - ▶ Regular
 - ▶ Afrezza - Inhaled
- ▶ Basal: controls glucose between meals, hs
 - ▶ Intermediate
 - ▶ NPH
 - ▶ Long Acting
 - ▶ Detemir (Levemir)
 - ▶ Glargine (Lantus)



Diabetes Educational Services

Poll question 2

- ▶ What best describes the role of bolus insulins?
 - a. cover carbs at meals and hyperglycemia
 - b. helps to lower fasting blood glucose
 - c. keeps overnight blood sugars under control
 - d. should be used during hypoglycemic episodes



Diabetes Education SERVICES

Bolus Insulins

($\frac{1}{2}$ of total daily dose \div meals)

Name	Onset	Peak Action
▶ Lispro (Humalog)	15-30 min	1-1.5 hrs
▶ Aspart (NovoLog)		
▶ Glulisine (Apidra)		
▶ Afrezza (Inhaled)		
▶ Regular	30 mins	2-4 hrs



Diabetes Education SERVICES

Afrezza – Inhaled Insulin – Approved 2014 – Type 1 or 2





Figure 3. Baseline-Corrected Glucose Infusion Rate (A) and Baseline-Corrected Serum Insulin Concentrations (B) after Administration of AFREZZA or Subcutaneous Insulin Lispro in Type 1 Diabetes Patients*



* Despite the faster absorption of insulin (PK) from Afrezza, the onset of activity (D) was comparable to insulin lispro.

Only studied in adults over 18
Not indicated for pregnancy, while breastfeeding




© Copyright 1999-2014, Diabetes Educational Services. All Rights Reserved.

Diabetes Education SERVICES

Steps, Cost, Terms

- ▶ 1st step – FDA approved. Will take time to produce, market and distribute
- ▶ Pricing –similar pricing as pens ~ \$300 a month
- ▶ Afrezza is regular human insulin in powder form using Technosphere technology.
- ▶ Referred to as TI in papers – “Technosphere Insulin”



© Copyright 1999-2014, Diabetes Educational Services, All Rights Reserved.

Diabetes Education SERVICES

Afrezza Dosing and Considerations

- ▶ Bolus regular insulin – inhaled before meals
- ▶ Dosing: 4 and 8 unit cartridges
 - ▶ Convert with 1:1 ratio to existing insulin dose
- ▶ Lung function test before start (FEV1)
 - ▶ Not for pts w/ chronic lung issues
 - ▶ Asthma, COPD, history of lung cancer, smokers
 - ▶ Can cause acute bronchospasm – Black box warning
- ▶ Side effects:
 - ▶ Hypoglycemia, sore throat, cough
 - ▶ Less hypoglycemia than injected insulin





© Copyright 1999-2014, Diabetes Educational Services, All Rights Reserved.

Diabetes Education SERVICES

Afrezza Inhaler

Know your AFREZZA® inhaler:



Replace inhaler every 15 days –
Do not wash



© Copyright 1999-2014, Diabetes Educational Services, All Rights Reserved.

Diabetes Education SERVICES

Afrezza – Strengths

There are two strengths of AFREZZA® cartridges:




Let insulin cartridges and inhaler sit at room temp for 10 minutes before using

Afrezza – Loading Cartridge into device



▶ Hold inhaler level



▶ Open inhaler by lifting white mouthpiece




▶ Hold insulin cartridge with cup facing down.



▶ Place cartridge inside and close lid. Keep level.


▶ Make sure cartridge has been at room temp for 10 minutes

Afrezza – Proper Inhale Technique



▶ Exhale

▶ Position inhaler in mouth (take off cover)



▶ Tilt inhaler down toward chin, keep head level



▶ Inhale deeply and hold breath for as long as comfortable

▶ Remove cartridge

▶ Replace cover

Sample situations - Pt on....

- ▶ 7 units Humalog at meals, 20 u Lantus at hs
 - ▶ Type 1
 - ▶ Type 2
 - ▶ BG before meal 67
- ▶ Carb counts – 1:15. Ate 75 gms



Diabetes Educational
SERVICES

Bolus Insulin Summary

- ▶ Regular, Novolog, Humalog, Apidra, Afrezza
- ▶ Starts working fast (15-30 mins)
- ▶ Gets out fast (3-6 hours)
- ▶ Post meal BG reflects effectiveness
- ▶ Should comprise about ½ total daily dose
- ▶ Covers food or hyperglycemia.
- ▶ 1 unit
 - ▶ Covers ≈ 10 -15 gms of carb
 - ▶ Lowers BG ≈ 30 – 50 points



Diabetes Educational
SERVICES

Bolus Insulin Timing

- ▶ How is the effectiveness of bolus insulin determined?
 - ▶ 2 hour post meal (if you can get it)
 - ▶ Before next meal blood glucose
- ▶ Glucose goals (ADA) – may be modified by provider/pt
 - ▶ 1-2 hours post meal <180
 - ▶ Before next meal – 80 - 130



Diabetes Educational
SERVICES

Poll Question 3

▶ Mary takes 4 units lispro (Humalog) before breakfast. Which BG result reflects that the dose was the right dose?

1. Before breakfast BG of 97
2. 1 hour post breakfast BG of 153
3. Before lunch BG of 69
4. 2 hour post breakfast BG of 183



Bolus – Insulin Sliding Scale

Starts at 150, 2 units for every 50 mg/dl >150

	Break	Lunch	Dinner	HS
Day 1	94 no insulin	212 4 uR	148 no insulin	254 6 uR
Day 2	243 4uR	254 6 uR	201 4uR	199 no insulin
Day 3	189 2uR	243 4uR	162 2uR	244 4uR
Day 4	66 No insulin	287 6uR	144 none	272 6uR



Basal Insulins

(½ of total daily dose)

Intermediate Acting Peak Action Duration

▶ NPH 4-12 hrs 12-24

Long Acting Peak Action Duration

▶ Detemir (Levemir) peakless 20 hrs

▶ Glargine (Lantus) No peak 24 hrs

▶ Glargine (Toujeo) No peak 24 hrs

▶ Concentrated glargine - 300 units/mL in 1.5 mL pen

Fasting BG reflects efficacy of basal



Basal Insulin Summary

- ▶ NPH, Levemir, Lantus, Toujeo
- ▶ Covers in between meals, through night
- ▶ Starts working slow (4 hours)
- ▶ Stays in long (12-24 hours)
 - ▶ NPH/ Lente 12 hrs
 - ▶ Levemir, Lantus, Toujeo 20-24 hrs
- ▶ Fasting blood glucose reflects effectiveness



Diabetes Educational Services

Poll Question 4

- ▶ When looking at glucose patterns, which problem do you fix first?
 - a. Hyperglycemia
 - b. Hypoglycemia
 - c. non-compliance
 - d. legible writing



Diabetes Educational Services

Pattern Management

- ▶ Safety 1st!! - Evaluate 3 day patterns
- ▶ **Hypo:** eval 1st and fix:
 - ▶ If possible, decrease medication dose
 - ▶ Timing of meals, exercise, medications
- ▶ **Hyperglycemia:** evaluate 2nd
 - ▶ Identify patterns
 - ▶ Before increase insulin, make sure not missing something (carbs, exercise, omission)



Type 2 – BMI 32. New diagnosis, No meds.
 What Patterns? Recommendations? Meds?

	Break	Lunch	Dinner	HS
Day 1	164			181
Day 2		124	106	195
Day 3	149		102	242
Day 4	151	81		211



Diabetes Education SERVICES

Type 2 – glyburide 10mg AM,
 Detemir 12 units at hs

	Break	Lunch	Dinner	HS
Day 1	164	94	66	162
Day 2	169		59	195
Day 3		84	81	242
Day 4	159		43	211

Poll Question 5

- Based on the case study, what would be the first action you would suggest to provider.
- Cut the dose of detemir in half
 - Immediately stop the glyburide
 - Hold the detemir
 - Reduce the glyburide dose?



Diabetes Education SERVICES

Next Steps

- ▶ At max basal dose
 - ▶ $80 \times 0.5 = 40$ units
- ▶ Don't add sulfonylurea to insulin (increases mortality)
- ▶ Consider adding an oral agent like an SGLT-2 Inhibitor
- ▶ Consider a GLP-1 Agonist
- ▶ Start bolus insulin at largest meal
- ▶ Or switch to 70/30 Insulin



Diabetes Education SERVICES

Combo Sub-Q Insulin

Insulin Type	Onset	Peak
Humalog Mix 75/25: 75% NPL, 25% lispro 50/50: 50% NPL, 50% lispro	0.25 - 0.5 hr	0.5-6.5 hrs
NovoLog Mix 70/30: 70% NPA, 30% aspart	0.25 - 0.5 hr	1 - 4 hrs
NPH + Reg Combo 70/30: 70%N /30%R 50/50: 50%N /50%R	0.5 - 1.0 hr	2 - 16 hrs

Considerations:

- Pre-mixed, difficult to fine tune therapy



Diabetes Education SERVICES

Next Steps – Switch from 40 units basal to 70/30 Insulin

- ▶ Switch to 70/30 Insulin
- ▶ Take current dose and give 2/3 in am and 1/3 in pm.
 - ▶ 2/3 of basal in am
 - ▶ $40 \text{ units} \times 0.6 = 24 \text{ units } 70/30$
 - ▶ 1/3 of basal in *pm
 - ▶ $40 \text{ units} \times 0.4 = 16 \text{ units } 70/30$
 - ▶ *pm = before dinner



Diabetes Education SERVICES

24u 70/30 am, 16 u 70/30 pm
Patterns? Changes needed?

	Break	Lunch	Dinner	HS
Day 1	102	63	92	181
Day 2	112	67	106	195
Day 3	98	56	112	201
Day 4	99	71	132	211



Diabetes Education SERVICES

Case Study



- ▶ 70 yr old, weighs 100kg
- ▶ History of CABG, tobacco
- ▶ A1c – 11.3%, BG 400-500 for past weeks
- ▶ Insulin – 100+ units Lantus at hs (solostar)
- ▶ Oral Meds: Metformin, Invokana
- ▶ Pt can't afford Lantus insulin pen or Invokana – what other option?



Diabetes Education SERVICES

Poll question 6

- ▶ Which insulins are cheapest?
 - a. Lantus, Levemir
 - b. Novolog, Humalog
 - c. Reg, NPH
 - d. Insulin pens



Diabetes Education SERVICES

Cost Per Vial in Northern CA

Per vial cost	Walmart	Walgreens	Costco
Regular Insulin	\$25*	\$92	\$99
NPH	\$25*	\$92	\$99
70/30	\$25*	\$92	\$101
Humalog	\$200	\$220	\$178
Novolog	\$197	\$217	\$178
Apidra	\$180	\$246	\$178
Levemir	\$300	\$300	\$300
Lantus	\$226	\$221	\$206



Diabetes Educational SERVICES

Case Study



- ▶ 70 yr old, weighs 100kg
- ▶ History of CABG
- ▶ A1c – 11.3%, BG 400-500 for past weeks
- ▶ Insulin – 100+ units Lantus at hs (solostar).
- ▶ Metformin 1000mg BID
- ▶ What is max basal insulin should he be on?



Diabetes Educational SERVICES

Case Study



- ▶ 70 yr old, weighs 100kg
- ▶ History of CABG
- ▶ A1c – 11.3%, BG 400-500 for past weeks
- ▶ Insulin – 100+ units Lantus at hs (solostar)
- ▶ Metformin 1000mg BID
- ▶ What is max basal insulin should he be on?
 - ▶ $100\text{kg} \times 0.5 = 50$ units a day
- ▶ What can we do next to improve BG?



Diabetes Educational SERVICES

Case Study



- ▶ What can we do next to improve BG?
 - ▶ Add 4 units bolus insulin to largest meal (or 10% of basal)
 - ▶ Switch him to 70/30 insulin ac breakfast and dinner
 - ▶ Total previous basal dose – 100 units
 - ▶ 2/3 in am – 65 units am (43 NPH and 22 regular)
 - ▶ 1/3 pre dinner – 35 units pm (23 NPH and 12 regular)



Diabetes Education SERVICES

Case Study



- ▶ 70 yr old, weighs 100kg
- ▶ History of CABG, tobacco
- ▶ A1c – 11.3%, BG 400-500 for past weeks
- ▶ What will inform you of how to proceed?
 - ▶ Insurance coverage
 - ▶ His willingness to stick to a complex regimen
 - ▶ His ability to self-monitor
 - ▶ His social support and connection to his medical team



Diabetes Education SERVICES

Quick Calculation

- ▶ Pt takes:
 - ▶ 30 units of Humalog at breakfast and dinner.
 - ▶ 20 units of Humalog at lunch and in between breakfast and lunch if BG over 200.
 - ▶ A1c 8.7%
- ▶ How many vial(s) of insulin would he use a month?



Diabetes Education SERVICES

Poll Question 7

▶ Sarah takes 30 units lispro BID, 20 units in-between BID as needs. How many vials a month?

- 1. 1-2
- 2. 2-3
- 3. 3
- 4. 2



Diabetes Education SERVICES

Poll Question 8


▶ How much insulin does a patient with type 2 diabetes need a day?

- a. About 1 unit per pound per day
- b. No more than 0.5 units/kg per day
- c. Approximately 5 units/kg per day
- d. About 0.5 to 1.0 units/kg per day



Diabetes Education SERVICES

Insulin Dosing Type 1 & 2



U-500 Insulin: When More With Less Yields Success: *Diabetes Spectrum* March 20, 2009 vol. 22 no. 2 116-122



Diabetes Education SERVICES

More than 200 units a day?

Your patients injecting more than 200 units of insulin per day may be ready for a change

LEARN MORE >

UNITS OF INSULIN 210 260 335

- Maria* has type 2 diabetes with severe insulin resistance
- Her A1C is not at goal
- She is taking multiple insulin injections per day
- Approximately half of her current TDD of insulin is mealtime insulin and half is long-acting insulin



*R U-500

ed) is indicated as an adjunct to diet and exercise to both and children with type 1 and type 2 diabetes

Diabetes Education SERVICES

Consider u-500 High Potency Insulin

5 x's the concentration of u100

- ▶ 500 units per mL vs 100 units per mL
- ▶ How much- When converting from u100?
 - ▶ Take total daily dose and divide by 5
 - ▶ 200 units a day/5 = 40 units a day of u500
 - ▶ 300 units a day/5 = ____ units a day of u500
- ▶ 20 mL a vial. 500 units per mL= 10,000 units/vial
- ▶ Costs ~ \$400-\$1,200 per vial – less expensive unit for unit?
- ▶ Less volume



U-500 Insulin: When More With Less Yields Success: Diabetes Spectrum March 20, 2009 vol. 22 no. 2 116-122



Diabetes Education SERVICES

Dosing Strategies u-500

- ▶ Consider U-500 (5 x's more potent)
 - ▶ 1 unit on U-100 syringe = 5 units insulin
- ▶ Dosing – take total daily needs and split into 2-3 doses
 - ▶ 2 doses: 60% am / 40% pm or
 - ▶ 3 doses: 40/30/30 or 40/40/20
- ▶ No basal insulin needed, because U-500 has bolus and basal action
- ▶ Needs careful monitoring/ education



U-500 Insulin: When More With Less Yields Success: Diabetes Spectrum March 20, 2009 vol. 22 no. 2 116-122



Diabetes Education SERVICES

U-500 Dose

U-100 syringe and TB Syringe

If this is your dose of Humulin R U-500	Fill a U-100 insulin syringe up to this marking	Fill a tuberculin syringe up to this marking
25	5	0.05
50	10	0.1
75	15	0.15
100	20	0.2
125	25	0.25
150	30	0.3
175	35	0.35
200	40	0.4
225	45	0.45
250	50	0.5
275	55	0.55
300	60	0.6
325	65	0.65
350	70	0.7
375	75	0.75
400	80	0.8
425	85	0.85
450	90	0.9
475	95	0.95
500	100	1.0

Basal Bolus – What Adjustments? Pt weighs 80kg

	Break	Lunch	Dinner	HS
Day 1	69 7H	79 5H	245 8H	190 22u Det
Day 2	81 7H	87 5H	170 8H	133 22u Det
Day 3	73 7H	94 5H	194 8H	110 22u Det
Day 4	62 7H	83 5H	211 8H	127 22u Det

Intensive Diabetes Therapy Insulin Dosing Strategy

50/50 Rule

▶ 0.5-1.0 units/kg day
(.5 units/kg most common)

- ▶ Basal = 50% of total
 - Glargine Q day
 - NPH or Detemir BID

- Bolus = 50% of total
 - usually divided into 3 meals

Example

▶ Wt 50kg x 0.5 = 25 units of insulin/day

- ▶ Basal dose: 13 units
 - Glargine 13 units Q day
 - NPH/Detemir 6u BID

- ▶ Bolus dose: 12 units
 - ▶ 4 units NovoLog, Apidra, Reg, Humalog each meal



Diabetes Educational Services

**Intensive Diabetes Therapy
Insulin Dosing Strategy**

50/50 Rule

▶ 0.3-1.0 units/kg day
(.5 units/kg most common)

▶ Basal = 50% of total
 ● Glargine Q day
 ● NPH or Detemir BID

● Bolus = 50% of total
 ● usually divided into 3 meals

Example – You Try

▶ Wt 80 kg x 0.5 = ____
units of insulin/day

▶ Basal dose: ____ units
 ● Glargine ____ units QD
 ● NPH/Detemir ____ BID

▶ Bolus dose: ____ units
 ____ units NovoLog, Apidra
 Humalog each meal



Diabetes Education SERVICES

**Basal Bolus – Using 50/50 Rule –
Pt weighs 80kg**

	Break	Lunch	Dinner	HS
Day 1	84 6H	89 7H	145 7H	190 20 u Det
Day 2	81 6H	97 7H	107 7H	133 20u Det
Day 3	79 6H	104 7H	124 7H	110 20u Det
Day 4	69 6H	103 7H	208 7H	193 20u Det

Poll Question 9


▶ Calvin takes 5 units reg before breakfast and dinner and 18 units of Lantus at HS. His am BG ranges from 143 to 172. What is best action?

- Increase dinner regular insulin to 6 units
- Decrease Lantus at HS by 2 units
- Increase Lantus dose at HS
- Evaluate him for somogyi effect



Diabetes Education SERVICES

Based on Mr R's clinical picture – In hospital
How Much Insulin Needed?



- ▶ Creatinine 1.6
- ▶ 76 years old
- ▶ Not very hungry
- ▶ BMI 21
- ▶ Weighs 80kg
- ▶ Glucotrol 5mg at home
- ▶ A1c 7.2%



Diabetes Education SERVICES

Calculate Daily Insulin Needs

▶ Based on unique characteristics of pt, where would you start?

- ▶ Body wt in Kg x _____ = total daily dose
- ▶ May need more or less based on clinical presentation



←—————→
Less 0.3 u/kg 0.5u/kg More 1.0 u/kg

Thin, elderly, ↑ creat Heavy, infection, steroids



Diabetes Education SERVICES

Calculate Insulin Needs Basal/ insulin carb/ correct

- ▶ Body wt in Kg x 0.3
- ▶ 80kg x 0.3 = 24 units daily



- ▶ Basal = 12 units
- ▶ Bolus = 12 units / 3 meals = 4 units each meal
- ▶ What if he is nauseated?



Diabetes Education SERVICES

2nd Half – Special Basal Bolus Section

- ▶ Carb counting
- ▶ Prandial coverage
- ▶ Correcting for hyper and hypoglycemia



Diabetes Educational SERVICES

Bolus Basics



- ▶ Carbohydrate/ Prandial Coverage
 - ▶ Match the insulin to the carbohydrates
 - ▶ 1 unit for 15 gms - Common starting point
- ▶ Correction Bolus - targets hyperglycemia
 - ▶ 1 unit for every 30-50 points over target
- ▶ Adjust ratios depending on sensitivity and response



Diabetes Educational SERVICES

Carbohydrate Ratio How does that work?

Rapid/Fast Acting Insulin

▶ Dinner (60 gms cho)

- ▶ Lemon Chicken
- ▶ 1 cup rice pilaf (45 gms cho)
- ▶ Asparagus
- ▶ Dinner Roll (15 gms cho)

Blood Glucose 165mg/dl

<u>Serving Size</u>	<u>Gms CHO</u>	<u>Insulin</u>
1	15 gms cho	1 unit
2	30 gms cho	2 units
3	45 gms cho	3 units
4	60 gms cho	4 units

Poll Question 1

▶ 1 unit novolog for 10 gms of carb. Meal 1 cup rice, bbq steak, 1 c. skim milk, sm banana, SF ice tea. BG 68.

- a. 8 units
- b. 7.2 units
- c. 6.2 units
- d. 6.0 units



Diabetes Educational Services

Adjusting Bolus and Correction Doses Carbohydrate-to-Insulin Ratio

Based on three questions before meals:



1. How much carbohydrate am I going to eat?
2. What is my insulin dose for this amount of carbohydrate?
3. Should I lower the dose because I plan to be very active or have recently been active?



Diabetes Educational Services

Correction Bolus

Rapid/Fast Acting Insulin (1 unit:50 mg/dl>150)

Less than 70	Subtract 1 unit
70-150 mg/dl	0 units
151-200 mg/dl	1 unit
201-250 mg/dl	2 units
251-300 mg/dl	3 units
301-350 mg/dl	4 units
351-400 mg/dl	5 units

Poll Question 2

▶ Bob's correction scale is 1 unit for every 30 above his target of 120. His BG is 270. How much correction insulin?

1. 4 units
2. 5 units
3. Needs to count carbs first
4. Depends on his activity level



Diabetes Education SERVICES

Type 1 and a Teen



- ▶ Cindy is trying to carb count and adjust her insulin, but is still having trouble. She weighs 60kg.
- ▶ What is her daily dose of insulin?
- ▶ What is her basal dose?
1. Pre meal target BG is 120
 2. Post meal goal < 180.
 3. Carb ratio: 1 unit for every 15 gms
 4. Hyperglycemic correction factor is one unit for every 55 above goal (she uses Humalog and 1700 rule)

1700 Rule
 $1700 / \text{TDD} = \text{insulin sensitivity}$
 $1700 / 30 = 56$
 1 unit drops BG 56 points



Diabetes Education SERVICES

Correction Bolus for Cindy

Analog Insulin (1 unit:55 mg/dl>120)

Less than 70 mg/dl	Subtract 1 unit
70-119 mg/dl	0 units
120-175 mg/dl	1 unit
176-230 mg/dl	2 units
231-285 mg/dl	3 units
286-340 mg/dl	4 units
341-395 mg/dl	5 units



Diabetes Education SERVICES

Adjusting Cindy's Bolus Insulin With Ratios

BG before lunch 285, she plans to eat 45 gms of carbohydrate.

$$285 - 120 = 165 \text{ over target, } 165 / 55 = 3$$

$$45 \text{ gms} / 15 = 3$$

- 3 units bolus insulin to correct to target
- 3 units bolus insulin to cover carbs in meal

Total adjusted dose: 6 units humalog insulin



Diabetes Education SERVICES

Adjusting Cindy's Bolus Insulin With Ratios - You Try

BG before lunch 230, plans to eat 60 gms of carbohydrate.

$$____ - 120 = ____ \text{ over target, } ____ / 55 = ____ \text{ units}$$

$$____ \text{ gms} / ____ = ____ \text{ units ins for carbs}$$

- $____ \text{ units}$ insulin to correct for hyperglycemia
- $____ \text{ units}$ insulin to cover carbs in meal

Total adjusted dose: $____ \text{ units}$ humalog insulin



Diabetes Education SERVICES

How much Insulin Needed?

- ▶ Morning - BG 173
 - ▶ Breakfast – slice cold pizza, ½ c. applesauce
- ▶ Lunch BG 69
 - ▶ Menu- ham sandwich, pear, diet 7-up, mini snickers bar.
- ▶ 2 hours after lunch, BG 148 - ran track
- ▶ Before dinner - BG 98
 - ▶ Cheeseburger, small fries, chocolate chip cookie
- ▶ At bedtime, BG 173



Diabetes Education SERVICES

Cindy, 60kg, Carb (1u/15gms) Target 120
pre meal, Hyper 1 for 55

	Break	Lunch	Dinner	HS
Day 1	99	154	128	69
Pre meal BG	2uH	6uH	5uH	15 GI
Carb	30gms	75gms	60gms	15gm
Day 2	143 /184	122 /156	220 / 89	228
Pre/ post meal BG	3uH	4uH	5uH	15 GI
Carb	45gms	60gms	45gms	0gm

Poll question 3

▶ Paul has had type 1 diabetes for 40 years and injects insulin 4 times a day. Which of the following is important to assess?

- Does he clean his needle before he reuses it?
- Is he wiping his skin thoroughly with alcohol before injection?
- Does he bend his needle before placing in trash?
- Is he rotating sites?



Diabetes Education SERVICES

Insulin Teaching Keys

- ▶ Bolus insulin with meals
- ▶ Basal 1-2xs daily
- ▶ Abdomen preferred injection site
- ▶ Stay 1" away from previous site
- ▶ Don't re-use ultra fine syringes
- ▶ Keep unopened insulin in refrigerator
- ▶ Look for hyper
- ▶ Toss opened insulin vial after 28 days
- ▶ Proper disposal
- ▶ Review patients ability to withdraw and inject.
- ▶ Side effects include hypoglycemia/wt gain
- ▶ Insulin pens –
 - ▶ Prime needle to assure accurate insulin dose given
 - ▶ Hold needle in for 5 seconds after injection
 - ▶ Roll 70/30 pens



Diabetes Education SERVICES

Sharps Disposal: Product and Info



- ▶ Look in the Government section white pages for a household hazardous waste listing for your city or county.
- ▶ Call 1-800-CLEANUP (1-800-253-2687)
- ▶ Search for collection centers on the California Integrated Waste Management Board (CIWMB) Web site: <http://www.ciwmb.ca.gov/HW/HealthCare/Collection/>



Diabetes Education SERVICES

Poll Question 4

▶ Mary takes 6 units lispro (Humalog) before dinner. Which BG result reflects that it was the right dose?

- a. Before breakfast BG of 97
- b. 1 hr post dinner BG of 189
- c. Before dinner blood glucose of 102
- d. 2 hour post dinner BG of 178



Diabetes Education SERVICES

Poll Question 5

▶ Calvin takes 5 units reg at dinner and 18 units of NPH at HS. His am BG ranges from 63 to 72. What is best action?

- a. Decrease dinner regular to 4 units
- b. Encourage him to eat bedtime snack
- c. Decrease NPH insulin at HS
- d. Have him check a 2am BG



Diabetes Education SERVICES

Thank You



► Web
www.diabetesed.net



Diabetes Education SERVICES
